

 Send to an associate

Samsung SyncMaster 910T



Product Information

- 19" active-matrix LCD
- Analog/Digital
- Black

CDW Part: 647197
Mfg. Part: 910T-BLACK
UNSPSC: 43211902

Usually Ships:  **Same Day**

Price: **\$568.53**



ADD TO CART

Shop by brand:



Product Detail | Accessories | Similar Products

PRODUCT DETAIL

Delivering crisp, clean text and bright, vivid colors

The Samsung SyncMaster 910T is a 19-inch analog and digital TFT-LCD monitor delivering crisp, clean text and bright, vivid colors. This display offers a 800: 1 contrast ratio, 260 cd/m2 brightness, 1280 x 1024 resolution, 170/170 degree viewing angle, scanning frequency of 30-81 kHz horizontal and 56-75 Hz vertical and 0.294mm pixel pitch. This unique display offers Samsung's proprietary MagicTune software for a truly hands-free experience and MagicBright technology for enhanced viewing by application. The SyncMaster 910T also features Pivot software by Portrait Displays for rotating from landscape to portrait viewing. For users who demand picture-perfect image quality, the SyncMaster 910T utilizes Samsung's PVA technology, the latest advancement in liquid crystal cell structure for improved viewing. With its ultra-thin bezel and removable base, this display is ideal for tiling. Multiple monitors lined side-by-side provides a continuous flow of virtually uninterrupted data. The SyncMaster 910T delivers a maximum of 16.7 million colors. The monitor is Windows Plug and Play DDC 2B compatible.

SPECIFICATIONS

Answering System Features	
Type	None
Audio Input	
Type	None

Audio Output	
Type	None

Display	
Projector Color Support	24-bit (16.7 million colors)
Projector Diagonal Size	19
Projector Dot Pitch	0.294 Mm
Projector Form Factor	Desktop
Projector Image Brightness	260 Cd/m2
Projector Image Contrast Ratio	1000:1, 800:1
Projector Image Max H-View Angle	170
Projector Image Max V-View Angle	170
Projector Max H-Sync Rate	81 KHz
Projector Max Resolution	1280 x 1024
Projector Max V-Sync Rate	75 Hz
Projector Monitor Features	MagicBright, MagicTune
Projector Response Time	25 Ms
Projector Technology	TFT active matrix
Projector Type	Flat panel display
Projector V-Sync Rate at Max Res.	75 Hz
Projector Video Bandwidth	140 MHz
Projector Viewable Size	19

Environmental Parameters	
Humidity Range Operating	10 - 80%
Max Operating Temperature	104 °F
Min Operating Temperature	50 °F

Header	
Compatibility	Mac, PC
Manufacturer	Samsung
Model	910T
Packaged Quantity	1
Product Line	Samsung SyncMaster

Input Device	
Type	None

Interface Provided	
Connector Type	15 pin HD D-Sub (HD-15)

Interface (Output)	
Qty	1
Connector Type	24 pin digital DVI
Interface (Output)	DVI-D
Qty	1

Miscellaneous	
Color	Black
Compliant Standards	DDC-2B, EPA Energy Star, NUTEK, Plug and Play, TCO '95
Flat Panel Mount Interface	100 x 100 mm

Power Device	
Nominal Voltage	AC 110/230 V

Power Supply	
Device Form Factor	Internal
Device Frequency Required	50/60 Hz
Device Power Consumption Operational	38 Watt
Device Type	Power supply

Service	
Support Type	3 years warranty
Support Details Full Contract Period	3 years
Support Details Service Included	Parts and labor
Support Details Type	Limited warranty
Support Details Component (Monitor)	Backlight
Support Details Full Contract Period	3 years
Support Details Type	Limited warranty

Software	
Type	Magic Tune

Video Input	
Analog Video Signal	RGB
Digital Video Standard	Digital Visual Interface (DVI)

Video Output	
Type	None